G R S App F IX 4]

1943 -

(76)

File No 96-42

Serial Nos 36, 37

Previous References

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 3

Part B for Feb 43

SUBJECT

Cement requirements of the Bureau of Sanitary Engineering in the Bangalore city Drainage Sc

To Ne D of P H
No. 78863 dt 9 2 43
Stats for about 10 tons p m for each of the Dys under the Control of - D of P H will be supplied

9/4

Continuation Sheet Mk File No 3564 / Current No L of 1942-43 Page

-from the Dr of P Health
No C-71-69 Dt 8-12-42
Requests that necessary arrangements may be made in consultation with the Govt of India for the supply of 960 tons of cement required for the Bangalore City Drainage scheme & 320 tons to the Bureau of Sanitary Engineering during the current year

1) Said this may perhaps be sent to the Chief Engineer for remarks
Lko 9/12 SS 9/12 V for perusal in the first instance
Lawsey 9/12/

3) [illegible] Address of the Govt of India may be called for, as soon as [illegible]

[illegible]
9-12-42
[illegible]
1.9.12.42
10-12-42
forwarded with all the papers to the Chief Engineer for [illegible] for [illegible]
[illegible]
10/12/42 Secy to Govt Labour Dept

SECY TO GOVT OF MYSORE 7131

OFFICE OF THE MINISTER FOR L S G & P H. Dt 9 12 42 No 5536

Lko 423 dt 10

CHIEF ENGINEER OF MYSORE 228 10 12 42

BR 11/12

Returned with comoliments -

2 The output of cement in the Bhadravathi Iron Works is 22 000 tons Out of this 10 000 tons are reserved for use by the Government of India for War purposes and thus only 12 000 tons becomes available for use by our Government from 1-10-1942 to 30-9-1943 Deducting out of this 600 tons required for use by the Iron Works only and 2 623 tons which represents the quantity of supply already made and to be made as per commitments so far, the quantity available will be 8 777 tons About 7,500 tons are to be given out of this to Jog Falls works The Quantity left will be only 1 277 tons, which is very inadequate when compared with the quantities requisitioned from the various Government Departments Government aided-concerns and the Public

3 A note has been furnished by me to the Secretary, Development Department separately with reference to an Un-official file received from the Development Secretariat indicating the principles on which priority will have to be accorded for various kinds of works in their order of importance and orders of Government thereon are awaited

4 Orders of Government re - the appointment of the Rationing Officer for Cement are also about to issue

Chief Engineer of Mysore

Law Secretary to Govt

VMS/14th

The file will be sent to the Development Secretary with the request that, in view of the urgency of the works relating to the Bangalore city drainage division of the Bureau of Sanitary Engineering, the concessions of priority may be shown for the matter of supply of cement.

Law Secy

WD 1110—GPB—50 000—5-11-42

This may be sent to the Ch Engr

3466

3564

Department
Public Works ~~Secretariat~~

File No 1 of 191

Serial No

20419 29/1/43
Dg No 308

The General Manager Iron works, Bhadravathi, has intimated that deducting the supply to be given to Jog Power Scheme, only 100 tons per month can be made available till the end of June 1943 Out of these 100 tons, the requirements of all the Departments including Govern ent aided Industrial concerns and the public will have to be met with It will, therefore, be not possible to give such a large quantity of cement to these two Divisions as mentioned by the Director of Public Health About 10 tons for each Division per month will be given in the next few months

This has reference to correspondence ending with letter No 8222 dated 11-1-1943 from the Law Secretary on this subject

29/1/43

SECY LAW DEPT
GO/TO MYSORE

The Law Secretary to Government,
with compliments,
Through The Development Secretary
to Government, with compliments

WP
29/1/43

29/1

To 29/1

Acs 30-1-43

TYPE SECTION
- 6 FEB 1943
GEN & REV SECTN
Contd

VF 0104—44B—2 00—2 241

3564 ✓ 4978 L

ML 90-42

1137

To The Dr of P Health

No L-7883 Dy 9-2-43:

States that arrangements will be made to give about 10 tons p.m. for each of the Divisions under your control in the next few months

To The Chief Engineer of Mysore R&B

No L 7884 Dy 9-2-43

Forwards a copy of the above

14/2

Letter No CH-97 Dy 17-2-1943 from the Dr of P. Health requesting that arrangements may be made for the supply of cement to the off Dr and under the Bureau of Survey Engineering as the works have been held up

"Q" The Dr of P Health has been intimated in this office letter No L-7883/ML 90-42-37 Dy 9-2-43 that arrangements will be made to give about 10 tons p.m. for each of the Divisions under his control in the next few months

A draft letter is submitted inviting his attention to the above letter is put up for appl or orders

Issued today

19/2/43

19/2

To The Dr of P Health

No L 8345 Dy 19-2-43

Invites attention to letter No L-7883/ML 90-42-37 Dy 9-2-43

26/2

C F No 45]

GOVERNMENT OF MYSORE

Tel & am ph

No C 39-69
Encls 2

3564/2

OFFICE OF

THE DIRECTOR OF PUBLIC HEALTH

IN MYSORE

BANGALORE

Wl 90-42-36

Date 4th December 1942

8

To

LAW DEPT

The Secretary to Government,

Law Department,

Bangalore

Sir

Subject - Cement requirements of the Bureau of Sanitary Engineering and the Bangalore City Drainage Division -

I have the honor to inform that as per No P / 2708 dated 1-10-1942 of the Chief Engineer asking for information about the quantity of cement required for works undertaken in the Bureau of Sanitary Engineering and the Bangalore City Drainage Division, replies were sent to the Chief Engineer in this office Nos C 73 and C 71-54 dated 23-10-42 and 11-11-42 respectively Copies of these are enclosed

The requirements of the Bangalore City Drainage Division are 80 tons per month and that of the Bureau of Sanitary Engineering 637 tons in all for completing the incomplete works out of which at least 350 tons as a minimum are necessary during the current year These 350 tons do not include the cement that may be required for works to be undertaken next year

The quantity of cement actually allotted to the Bureau of Sanitary Engineering is 100 tons and to the Bangalore City Drainage Division 200 tons, as against 637 and 960 tons required respectively by the two Divisions A copy of letter No 8697 dated 11-11-42 of the Chief Engineer addressed to the General Manager, Mysore Iron and Steel Works, Bhadravathi, with a copy of the distribution list is enclosed herewith for the information of Government

With the low allotment of cement as compared to the actual requirements, the works undertaken will not be completed It is very

very likely that there will be a good deal of loss both to the local bodies and the Government by the postponement of works as the contractors will ask for revised higher rates since the works would have to be left abruptly and the works also being left incomplete would suffer and have to be redone

In the third para of the Chief Engineer s letter dated 11-11-42 (referred to above), he states that he is addressing Government separately for the issue of authorisation to supply the required quantity to the Public Works Department for urgent military and internal security works, I request that Government may be pleased to bring the requirements of this Department also to the notice of the Hon Cement Adviser to the Government of India, New Delhi and secure authorisation for the supply of the full cement requirements of this Department viz , 960 tons for the Bangalore City Drainage Division and 320 tons for the Bureau of Sanitary Engineering during the current year

I have the honour to be,
Sir,
Your most obedient servant,

DIRECTOR OF PUBLIC HEALTH

JBR

Letter No 73 dated 23-10-42 from the Director of Public Health in Mysore, Bangalore, to the Chief Engineer of Mysore, Bangalore

---

SUPPLY OF CHAMUNDI BRAND CEMENT

The Sanitary Engineer, Bureau of Sanitary Engineering in his letter No 499 dated 22nd October 1942 intimated that Messrs The Mysore Iron and Steel Works, Bhadravathi are no longer able to comply with indents sent from the Bureau of Sanitary Engineering They also say that for all Public Works Activities in the State, including the Sanitary Bureau only, 1,500 tons of cement can be made available upto end of June 1943 To complete all the incomplete works undertaken by the Bureau of Sanitary Engineering at least a minimum quantity of 637 tons of cement are required Out of 1,500 tons of cement that can be made available by the Mysore Iron and Steel Works for the Public Works in the State, at least 320 tons of cement may be set apart for the Bureau during the current year and the Mysore Iron and Steel Works, Bhadravathi requested to supply 320 tons to the Bureau

---

Letter No C 71-54 dated 11-11-1942 from the Director of Public Health in Mysore, Bangalore, to the Chief Engineer of Mysore, Bangalore

---

SUPPLY OF CEMENT

In continuation of this office letter No C 71-47 dated 28th October 1942 on the above subject, I have the honor to enclose herewith a copy of letter No 92 dated 8th October 1942 of the Special Officer, Bangalore City Drainage Division, stating that 80 tons of cement will be required for use on works under progress and on the works proposed ~~to be~~ to be taken up during the year

---

Letter No 92 dated 8th October 1942 from the Special Officer, City Drainage Division, to the Director of Public Health in Mysore, Bangalore

---

Re SUPPLY OF CEMENT

With reference to your memo No C 71-39 dated 7th October 1942 regarding the above enquiring the quantity of cement required for use in this Division, I have the honour to state that about 80 tons of cement will be required every month for use on works under progress and on the works proposed to be taken up during the year This fact

has also been intimated to the Sales Manager, Mysore Iron and Steel Works, Bhadravathi, in this office No 908 dated 24th June 1942

Letter No 7697 dated 11-11-1942 from the Chief Engineer of Mysore, Bangalore, to the General Manager, Mysore Iron & Steel Works, Bhadravati

—

CEMENT REQUIREMENTS

With reference to your letter No 4798 dated the 3rd October 1942 regarding the supply of cement during the current year, I have the honour to forward herewith a statement showing the distribution of cement among the various offices, for information

2 As can be seen from the statement against the quantity of 9095 tons of cement indented for by the various Divisions of the Public Works Department and other offices, orders have been issued to supply 172 tons of cement to the various Divisions as per detail therein noted and 1230 tons have to be issued to the various office on receipt of indents from the concerned offices direct ~~x~~ by you, limiting the quantity strictly to the allotment made 98 tons may be ket as reserve

3 As 1500 tons of cement will not be enough to meet the requirements of the Public Works Department, I am addressing separately the Government to request the Hon Cement Adviser to the Government of India, New Delhi, to issue authorisation to supply the required quantity to the Public Works Department for urgent Military and internal security works

-oOo-

"Copy"

Director of Public Health

TBR

Statement showing the distribution of cement of 1500 tons available for use up to end of June 1943

No	Name of Division	Quantity as indented Tons	Quantity already issued Tons	Quantity to be allotted Tons	Remarks
1	City Drainage Div Bangalore	960	50	150	T O No 7263-4 D/ 2-11-42
2	Sanitary Division	637	50	50	T O No 7220-7 D/ 31-10-42
3	Agricultural Department	30	-	5	
4	Mysore Division	160	-	100	
5	Mandya Division	500	14	40	T O No C 711-2 D/ 21-10-42
6	Kolar Division	353	-	50	
7	Tumkur Division	70	-	30	
8	Bangalore Division	345	-	50	
9	Kanva Division	404	-	100	
10	Buildings &Range	700	-	100	
11	Mysore Head Quarter Range	100	30	50	T O No 7264-5/2-11-4
12	Shimoga Division	1750	-	50	
13	Hassan Division	664	28	25	T O No 7162-3/30-10-42
14	Kadur Division	630	-	150	
15	Water Supply Division	290	-	60	
16	Vaccine Institute	462	-	50	
17	K R Sagar Division	400	-	50	
18	Irwin Canal Construction Dvn	400	-	50	
19	Irwin Canal Division	140	-	40	
20	Lower Channels Division	100	-	30	
	Reserve with the Chief Engineer			98	
		9,095	172	1,328	

Copy"

Director of Public Health

JBR

Appendix F G —1]

SUBJECT

Section Ml

File No 90 -42

Serial No 37

Diary No of letter replied to

No L 7889

General and Revenue Secretariat

( )

the *194*

To To The Dr of P Health

Sir,

Date of issue 9 2 43

Signed by Mer G R Rao

with reference to your letter NO C71-69 Dt 8-12 1942 requesting that necessary arrangements may be made for the supply 960 tons of cement to the city Drainage Division & 320 to the Bureau of Sanitary Engineering during the current year, I am directed to state that the ~~General Manager~~ Chief Engr PWD Iron works, Perambur, has intimated that, deducting the supply to be given to Jog

List of enclosures

Codied by

Examined by

Power Scheme, only 100 tons per
month can be made available
till the end of June 1943, that out
of these 100 tons, the requirements
of all the Departments including
Govt aided Industrial Concerns (?)
the public will have to be met &
that therefore it ~~was not~~ is not possible
to give such a large quantity
of cement as requested.

However, arrangements will
be made to give 10 tons for each of the above
Divisions ~~per month~~ under consideration in the
next few months.

Thanks etc

for
Jr Secy to Govt
W&S Law Deptt
9/2

Memo No R 7884 of 9-2-43

Copy of the above is forwarded with
compliments to the Chief Engineer
of Mysore, P W D for information

By order

for
Jr Secy to Govt
W&S Law Deptt

No C-71-97
Enc

OFFICE OF THE
DIRECTOR OF PUBLIC HEALTH
IN MYSORE

Bangalore dated 16th February 1943

ML90-42-44 4978/L

To

The Secretary to Government,
Law Department, Bangalore



Sir

Supply of Cement required for Water Supply and Drainage Works in the Bureau of Sanitary Engineering

I have the honor to forward herewith a copy of letter No 2811 dated 30th January 1943 of the Sanitary Engineer addressed to the Chief Engineer re the expediting of the supply of 350 tons of cement allotted to the Bureau of Sanitary Engineering The Sanitary Engineer, reports in his forwarding Memo covering the above letter that for want of cement almost all the works are held up

I have the honour to be,
Sir,
Your most obedient servant,
Director of Public Health

JBR

[p t o

WD 04161—GPB—60 000—24 10 41

Letter No 2811 dated 30th January 1943 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Chief Engineer in Mysore, Bangalore

Subject - Cement required for water supply and drainage works in the Bureau of Sanitary Engineering

---

I have the honour to invite your kind reference to this office letter No 1761 dated 11th November 1942 re the supply of cement to the departmental works which are under progress as well as works connected with the Place I request you to kindly remind the General Manager, Mysore Iron & Steel Works, Bhadravathi to expedite the supply of 300 tons of cement allotted to this Bureau

---

No 1031 Bangalore, dated January 30, 1943

Copy of the foregoing is submitted to the Director of Public Health in Mysore, Bangalore, for favour of information in continuation of this office letter No 498 dated 19th October 1942 For want of cement almost all the works are held up

Sd K S Krishnaswamy,
for Sanitary Engineer

- o -

"Copy"
for
Director of Public Health

JBR

Mr Rodgers/Lord
Sir Law Scott

Appendix F G —1]

SUBJECT

Section ml

File No 90-42

Serial No

Diary No of letter replied to

No C 83245

General and Revenue Secretariat

( )

the *194*

To

The Dr of Health

Sir,

Date of issue 19/2/43

Signed by Mr GR Rao

with reference to your letter No C71-97 Dj 17-2-43 re the supply of cement to the Addl Drainage Division & the Bureau of Sanitary Engineering Bldgs, I am directed to invite reference to this office letter No L 7883/ml 90-42-32 Dj 9-2-43 addressed to you on the matter, a copy of which is sent herewith for reference, wherein it is stated that arrangements will be made

List of enclosures

Codied by

Examined by

WD 04161—GPB—60 000—24 10 41

to give about 10 tons P mo for each
of the Divisions under your
Control in the next few months

Thanking etc

from

Horsey to Earle

11th 19/1 Rly Deptt